

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Peerless	PBC-34	34 000	95	\$900
	Peerless	PBC-40	40 000	95	\$900
	HTP	MC-50	50 000	93	\$900
	Triangle Tube	CC50S	50 000	95	\$900
	Olsen	OLSSC-050	50 000	95	\$900
	Olsen	OLSSV-050	50 000	95	\$900
	Utica Boilers	SSV-050	50 000	95	\$900
	Utica Boilers	UBSSC-050	50 000	95	\$900
	Bradford White	BLXHW050	50 000	95	\$900
	Dunkirk	DKVLT-050	50 000	95	\$900
	Dunkirk	VX-050	50 000	95	\$900
	Kenmore	DKVLT-050	50 000	95	\$900
	Mascot LX	MLXHW050	50 000	95	\$900
	Peerless	PF-50	50 000	95	\$900
	Rinnai	E50C	50 000	96	\$900
	Rinnai	E50CR	50 000	96	\$900
	NTI	TX51	46 000	94	\$900
	IBC Technologies	HC13-50	51 000	95	\$900
	Peerless	PBC-52	52 000	95	\$900
	Lochinvar	WHN056	55 000	95	\$900
	Lochinvar	WHN055	55 000	95	\$900
	Lochinvar	WHB055N	55 000	95	\$900
	Navien	NHB-055	55 000	95	\$900
	HTP	EFT-55	55 000	97	\$900
	Bosch	KBR16-3	57 000	95	\$900
	Bosch	ZBR16-3	57 000	95	\$900
	NTI	TFT60	60 000	95	\$900
	Rinnai	E60SR	60 000	96	\$900
	Rinnai	M060C	60 000	95	\$900
	Rinnai	M060S	60 000	95	\$900
	Viessmann	B2HA-19	67 000	93	\$900
	Viessmann	B2TA-19	67 000	93	\$900
	Viessmann	B2HB-19	68 000	95	\$900
	Viessmann	B2HB-68	68 000	95	\$900
	Crown Boiler	BWC070	70 000	91	\$900
	Weil-McLain	GV90+3	70 000	92	\$900
	Weil-McLain	ECO70	70 000	95	\$900
	Weil-McLain	WM97+70-CT	70 000	95	\$900
	Weil-McLain	EVG 70	70 000	95	\$900
	ECR International	ECR97A-075	75 000	95	\$900
	Olsen	OLSSC-075	75 000	95	\$900
	Olsen	OLSSV-075	75 000	95	\$900

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Utica Boilers	SSV-075	75 000	95	\$900
	Utica Boilers	UBSSC-075	75 000	95	\$900
	Bradford White	BLXHW075	75 000	95	\$900
	Bryant / Carrier	BWMAAN000075AAAA	75 000	95	\$900
	Dunkirk	DKVLT-075	75 000	95	\$900
	Dunkirk	VX-075	75 000	95	\$900
	Kenmore	DKVLT-075	75 000	95	\$900
	Mascot LX	MLXHW075	75 000	95	\$900
	Rinnai	E75C	75 000	96	\$900
	Rinnai	E75CR	75 000	96	\$900
	Bosch	KBR21-3	79 000	95	\$900
	Bosch	ZBR21-3	79 000	95	\$900
	Camus/DynaMax	DMNC0083	80 000	90	\$900
	Camus/DynaMax	DMNH0081	80 000	90	\$900
	NTI	TS80	80 000	93	\$900
	HTP	MC-80	80 000	93	\$900
	Crown Boiler	PHNTM080	80 000	94	\$900
	Burnham by US Boiler	K2-080	80 000	94	\$900
	Weil-McLain	ULTRA80-CT	80 000	94	\$900
	Westinghouse	WBRU**080*	80 000	95	\$900
	Burnham by U.S. Boiler	X-C080B	80 000	95	\$900
	Velocity Boiler Works	PHNTM080B	80 000	95	\$900
	Vesta	VRB-80	80 000	95	\$900
	Vesta	VRC-80	80 000	95	\$900
	Triangle Tube	Solo 80	80 000	95	\$900
	Burnham by U.S. Boiler	K2WT-080B	80 000	95	\$900
	Crown Boiler	PHNTM080B	80 000	95	\$900
	HTP	UFT-80*	80 000	95	\$900
	Bradford White	BNTH080	80 000	95	\$900
	Burnham by US Boiler	ALP080B	80 000	95	\$900
	Laars	NTH080	80 000	95	\$900
	Navien	NHB-080	80 000	95	\$900
	Peerless	PF-80	80 000	95	\$900
	HTP	EFT-80	80 000	96	\$900
	HTP	EP-80	80 000	96	\$900
	Westinghouse	WBRE**080	80 000	96	\$900
	Mascot FT	MFTHW080	80 000	95	\$900
	Burnham by U.S. Boiler	K2WT-080	80 000	94	\$900
	Burnham by U.S. Boiler	X-C080	80 000	94	\$900
	Lochinvar	EPB080N	80 000	95	\$900
	Pensotti	PCH18/B-H	80 000	91	\$900
	Pensotti	PCI18/8-H	80 000	91	\$900

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Weil-McLain	AB-80-*	80 000	95	\$900
	NTI	TX81	82 000	94	\$900
	Triangle Tube	CC85S	84 000	94	\$900
	IBC Technologies	DC23-84	84 000	94	\$900
	IBC Technologies	HC23-84	84 000	94	\$900
	Buderus	GB14224	84 000	95	\$900
	NTI	TFT85	85 000	95	\$900
	Lochinvar	WHN086	85 000	95	\$900
	Lochinvar	KHN085	85 000	95	\$900
	Lochinvar	KHB085N	85 000	95	\$900
	Lochinvar	WHB085N	85 000	95	\$900
	Velocity Boiler Works	RPTR085HB	85 000	96	\$900
	Burnham by U.S. Boiler	ASPN-085	85 000	96	\$900
	Buderus	SSB85	85 000	96	\$900
	Raypak	H7-088AR*	85 000	95	\$900
	Rinnai	Q85S	85 000	95	\$900
	Lochinvar	WHN085	85 000	95	\$900
	Rinnai	E85SR	85 000	95	\$900
	Burnham by U.S. Boiler	K2FT-085	85 000	95	\$900
	Velocity Boiler Works	RPTR085	85 000	95	\$900
	IBC Technologies	SL 10-85G3	85 000	96	\$900
	RaypakInc	XPak85	87 000	90	\$900
	Crown Boiler	BWC090	90 000	91	\$900
	Slant / Fin	VSLII-90	90 000	92	\$900
	Energy Kinetics	Accel CS EK1C 90	90 000	97	\$900
	Rinnai	M090C	90 000	95	\$900
	Rinnai	M090S	90 000	95	\$900
	Viessmann	WB1B-26	91 000	94	\$900
	NTI	TI100	93 000	94	\$900
	Viessmann	B2HA-26	94 000	93	\$900
	Viessmann	B2HB-26	94 000	95	\$900
	Viessmann	CU3A-26	94 000	95	\$900
	Viessmann	B1HA-26	94 000	95	\$900
	Viessmann	B1HA-94	94 000	95	\$900
	Viessmann	B2HB-94	94 000	95	\$900
	Viessmann	CU3A-94	94 000	95	\$900
	Baxi	DUO-TEC COMPACT 30 G/	94 000	95	\$900
	IBC Technologies	DC 15-96	96 000	96	\$900
	IBC Technologies	HC 15-96	96 000	96	\$900
	HTP	MC-99	99 000	92	\$900
	Camus/DynaMax	DMNC0103	100 000	90	\$900
	Camus/DynaMax	DMNH0101	100 000	90	\$900

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Crown Boiler	PHNTM100	100 000	93	\$900
	Burnham by US Boiler	K2-100	100 000	93	\$900
	Burnham by U.S. Boiler	X-C100B	100 000	95	\$900
	Vesta	VRC-100	100 000	95	\$900
	Burnham by U.S. Boiler	K2WT-100B	100 000	95	\$900
	ECR International	ECR97A-100	100 000	95	\$900
	Olsen	OLSSC-100	100 000	95	\$900
	Olsen	OLSSV-100	100 000	95	\$900
	Utica Boilers	SSV-100	100 000	95	\$900
	Utica Boilers	UBSSC-100	100 000	95	\$900
	HTP	UFT-100*	100 000	95	\$900
	Bosch	KBR28-3	100 000	95	\$900
	Bosch	KWB28-3	100 000	95	\$900
	Bosch	ZBR28-3	100 000	95	\$900
	Bosch	ZWB28-3	100 000	95	\$900
	Bradford White	BLXHW100	100 000	95	\$900
	Bryant / Carrier	BWMAAN000100AAAA	100 000	95	\$900
	Dunkirk	DKVLT-100	100 000	95	\$900
	Dunkirk	VX-100	100 000	95	\$900
	Kenmore	DKVLT-100	100 000	95	\$900
	Mascot LX	MLXHW100	100 000	95	\$900
	Mascot FT	MFTHW100	100 000	95	\$900
	Burnham by U.S. Boiler	K2WT-100	100 000	93	\$900
	Burnham by U.S. Boiler	X-C100	100 000	93	\$900
	HTP	PHR100-55	100 000	94	\$900
	NTI	TX101	101 000	94	\$900
	Energy Kinetics	Resolute EK1R	104 000	90	\$900
	Weil-McLain	GV90+4	105 000	91	\$900
	Eco King Supreme	C100	105 000	92	\$900
	Eco King Supreme	H100	105 000	92	\$900
	Weil-McLain	ULTRA105-CT	105 000	94	\$900
	Bradford White	BNTH105	105 000	95	\$900
	Burnham by US Boiler	ALP105B	105 000	95	\$900
	Laars	NTH105	105 000	95	\$900
	Triangle Tube	CC105	106 000	94	\$900
	Triangle Tube	CC105s	106 000	94	\$900
	IBC Technologies	DC29-106	106 000	94	\$900
	IBC Technologies	HC29-106	106 000	94	\$900
	Buderus	GB14230	106 000	95	\$900
	NTI	TFT110	108 000	95	\$900
	Sime	MurelleEVHE30	110 000	90	\$900
	Sime	PlanetDewy3050BF	110 000	90	\$900

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Sime	PlanetDewy30BFT	110 000	90	\$900
	Hybritherm	SOL r3.3 MG	110 000	91	\$900
	NTI	VM110	110 000	95	\$900
	NTI	VM110P	110 000	95	\$900
	Lochinvar	WHN111	110 000	95	\$900
	Vesta	VRB-110	110 000	95	\$900
	HTP	EP-110	110 000	95	\$900
	Raypak	H7-108AR*	110 000	95	\$900
	Triangle Tube	Excellence110	110 000	95	\$900
	Triangle Tube	Solo110	110 000	95	\$900
	Weil-McLain	ECO110	110 000	95	\$900
	Lochinvar	WHN110	110 000	95	\$900
	Lochinvar	KHN110	110 000	95	\$900
	Lochinvar	KHB110N	110 000	95	\$900
	Lochinvar	WHB110N	110 000	95	\$900
	Navien	NHB-110	110 000	95	\$900
	Peerless	PF-110	110 000	95	\$900
	Weil-McLain	WM97+110-CT	110 000	95	\$900
	Evergreen	EVG 110	110 000	95	\$900
	Lochinvar	NKC110N	110 000	95	\$900
	NTI	FTV110	110 000	95	\$900
	NTI	FTV110C	110 000	95	\$900
	Velocity Boiler Works	RPTR110HB	110 000	96	\$900
	Burnham by U.S. Boiler	ASPN-110	110 000	96	\$900
	HTP	EFT-110	110 000	96	\$900
	Rinnai	E110C	110 000	96	\$900
	Westinghouse	WBRE**110	110 000	97	\$900
	Rinnai	E110CR	110 000	96	\$900
	Rinnai	E110SR	110 000	96	\$900
	Burnham by U.S. Boiler	K2FT-110	110 000	95	\$900
	Lochinvar	EPB110N	110 000	95	\$900
	Lochinvar	EPC110N	110 000	95	\$900
	Baxi	LunaHT1100	113 000	90	\$900
	IBC Technologies	SL14-115G3	115 000	95	\$900
	IBC Technologies	SL20-115G2	115 000	95	\$900
	Pensotti	PCC34-H	116 000	91	\$900
	Pensotti	PCH34/B-H	116 000	91	\$900
	Pensotti	PCI34/20-H	116 000	91	\$900
	Viessmann	WB1B-35	118 000	94	\$900
	Navien	NCB-150E	120 000	95	\$900
	RaypakInc	XPak120	120 000	91	\$900
	HTP	MC-120	120 000	92	\$900

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Crown Boiler	BWC120	120 000	93	\$900
	Slant / Fin	LX-120	120 000	93	\$900
	Slant / Fin	LX-120CB	120 000	93	\$900
	Crown Boiler	PHNTM120	120 000	94	\$900
	Burnham by US Boiler	K2-120	120 000	94	\$900
	Burnham by U.S. Boiler	X-C120B	120 000	95	\$900
	Vesta	VRC-120	120 000	95	\$900
	Burnham by U.S. Boiler	K2WT-120B	120 000	95	\$900
	Westinghouse	WBRU**120*	120 000	96	\$900
	HTP	UFT-120*	120 000	96	\$900
	Buderus	SSB120	120 000	96	\$900
	Mascot FT	MFTCW120	120 000	95	\$900
	Mascot FT	MFTHW120	120 000	95	\$900
	Burnham by U.S. Boiler	K2WT-120	120 000	94	\$900
	Burnham by U.S. Boiler	X-C120	120 000	94	\$900
	Energy Kinetics	Accel CS EK1C 120	120 000	96	\$900
	Weil-McLain	AB-120-*	120 000	95	\$900
	Rinnai	M120C	120 000	95	\$900
	Rinnai	M120S	120 000	95	\$900
	ECR International	ECR-122	122 000	95	\$900
	Super Hot	HSE-125-N	124 000	92	\$900
	Triangle Tube	CC125	124 000	94	\$900
	Triangle Tube	CC125s	124 000	94	\$900
	IBC Technologies	DC33-124	124 000	94	\$900
	IBC Technologies	HC33-124	124 000	94	\$900
	Triangle Tube	CC125H	124 000	95	\$900
	Triangle Tube	CC125Hs	124 000	95	\$900
	IBC Technologies	DC20-125	125 000	95	\$900
	IBC Technologies	HC20-125	125 000	95	\$900
	Viessmann	B2HA-35	125 000	93	\$900
	Viessmann	B2TA-35	125 000	93	\$900
	Bradford White	BLMC125	125 000	95	\$900
	Bradford White	BLMH125	125 000	95	\$900
	Bradford White	BLXCW125	125 000	95	\$900
	Bradford White	BLXHW125	125 000	95	\$900
	Viessmann	B1HA-125	125 000	95	\$900
	Viessmann	B1KA-125	125 000	95	\$900
	Viessmann	B2HB-125	125 000	95	\$900
	Viessmann	B2TB-125	125 000	95	\$900
	Viessmann	CU3A-125	125 000	95	\$900
	Viessmann	B2HB-35	125 000	95	\$900
	Viessmann	B2TB-35	125 000	95	\$900

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Viessmann	CU3A-35	125 000	95	\$900
	Viessmann	B1HA-35	125 000	95	\$900
	Viessmann	B1KA-35	125 000	95	\$900
	Laars	LMC125	125 000	95	\$900
	Laars	LMH125	125 000	95	\$900
	Mascot LX	MLXCW125	125 000	95	\$900
	Mascot LX	MLXHW125	125 000	95	\$900
	Dunkirk	DCB-125	125 000	95	\$900
	Utica Boilers	MAH-125	125 000	95	\$900
	BIASI	M210.32CM	125 000	93	\$900
	Baxi	LunaDuo-tec1330	125 908	90	\$900
	Baxi	LunaDuo-tec40	125 908	90	\$900
	Baxi	LunaHT380	126 249	90	\$900
	Baxi	LunaHT1330	126 376	90	\$900
	Vesta	VRB-130	130 000	95	\$900
	Rinnai	Q130S	130 000	95	\$900
	HTP	PHR130-55	130 000	93	\$900
	Bosch	KBR35-3	131 000	95	\$900
	Bosch	KWB35-3	131 000	95	\$900
	Bosch	ZBR35-3	131 000	95	\$900
	Bosch	ZWB35-3	131 000	95	\$900
	Eco King Supreme	C140	135 000	92	\$900
	Eco King Supreme	H140	135 000	92	\$900
	New Yorker	GHE135CB	135 000	95	\$900
	Velocity Boiler Works	PHNTM135CB	135 000	95	\$900
	Burnham by U.S. Boiler	K2WTC-135B	135 000	95	\$900
	Weil-McLain	GV90+5	140 000	91	\$900
	HTP	UFTC-140*	140 000	95	\$900
	Westinghouse	WBRU**140*	140 000	95	\$900
	Westinghouse	WBRUC**140*	140 000	95	\$900
	Vesta	VRC-140	140 000	95	\$900
	HTP	UFT-140*	140 000	95	\$900
	Bradford White	BMFTC(F,W)140	140 000	95	\$900
	Bradford White	BMFTHW140	140 000	95	\$900
	Westinghouse	WBRU**140W	140 000	95	\$900
	Mascot FT	MFTC(F,W)140	140 000	95	\$900
	Mascot FT	MFTHW140	140 000	95	\$900
	Peerless	PF-140	140 000	95	\$900
	HTP	EFTC-140F	140 000	93	\$900
	HTP	EFTC-140W	140 000	95	\$900
	Westinghouse	WBRCNG140F	140 000	93	\$900
	Super Hot	HSE-145-N	145 000	92	\$900

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Triangle Tube	CC150s	145 000	92	\$900
	ECR International	ECR-147	147 000	95	\$900
	NTI	TI150	150 000	94	\$900
	NTI	VM153	150 000	95	\$900
	NTI	VM153P	150 000	95	\$900
	Navien	NCB-180E	150 000	95	\$900
	Crown Boiler	BWC150	150 000	91	\$900
	Crown Boiler	BWC151	150 000	91	\$900
	Slant / Fin	VSLII-150	150 000	92	\$900
	Camus/DynaMax	DMNC0153	150 000	90	\$900
	Camus/DynaMax	DMNH0151	150 000	90	\$900
	Slant / Fin	LX-150	150 000	93	\$900
	Slant / Fin	LX-150CB	150 000	93	\$900
	NTI	LX150	150 000	94	\$900
	New Yorker	GHE150CB	150 000	95	\$900
	Burnham by U.S. Boiler	X-C150B	150 000	95	\$900
	Velocity Boiler Works	PHNTM150CB	150 000	95	\$900
	Burnham by U.S. Boiler	K2WT-150B	150 000	95	\$900
	Burnham by U.S. Boiler	K2WTC-150B	150 000	95	\$900
	Olsen	OLSSC-150	150 000	95	\$900
	Olsen	OLSSV-150	150 000	95	\$900
	Utica Boilers	SSV-150	150 000	95	\$900
	Utica Boilers	UBSSC-150	150 000	95	\$900
	HTP	EP-150	150 000	95	\$900
	Bradford White	BNTH150	150 000	95	\$900
	Bradford White	BLXCW150	150 000	95	\$900
	Bradford White	BLXHW150	150 000	95	\$900
	Bryant / Carrier	BWMAAN000150AAAA	150 000	95	\$900
	Crown Boiler	PHNTM150	150 000	95	\$900
	Dunkirk	DKVLT-150	150 000	95	\$900
	Dunkirk	VX-150	150 000	95	\$900
	Burnham by US Boiler	ALP150B	150 000	95	\$900
	Burnham by US Boiler	K2-150	150 000	95	\$900
	IBC Technologies	VFC15-150	150 000	95	\$900
	Kenmore	DKVLT-150	150 000	95	\$900
	Laars	NTH150	150 000	95	\$900
	Mascot LX	MLXCW150	150 000	95	\$900
	Mascot LX	MLXHW150	150 000	95	\$900
	Navien	NHB-150	150 000	95	\$900
	Westinghouse	WBRE**150	150 000	95	\$900
	Dunkirk	DCC-150	150 000	95	\$900
	Utica Boilers	MAC-150	150 000	95	\$900



## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	NTI	FTV150	150 000	95	\$900
	NTI	FTV150C	150 000	95	\$900
	Burnham by U.S. Boiler	K2WT-150	150 000	95	\$900
	Burnham by U.S. Boiler	X-C150	150 000	95	\$900
	Lochinvar	NKC150N	150 000	95	\$900
	Energy Kinetics	Accel CS EK2C 150	150 000	95	\$900
	Lochinvar	EPB150N	150 000	95	\$900
	Lochinvar	EPC150N	150 000	95	\$900
	NTI	TX151	151 000	94	\$900
	NTI	TX151C	151 000	94	\$900
	Bosch	KBR42-3	151 000	95	\$900
	Bosch	KWB42-3	151 000	95	\$900
	Bosch	ZBR42-3	151 000	95	\$900
	Bosch	ZWB42-3	151 000	95	\$900
	NTI	TFT154	150 000	95	\$900
	Weil-McLain	ULTRA155-CT	155 000	94	\$900
	Williamson / Thermoflo	FS-150-N	155 000	94	\$900
	FreeStyle	FS-155-N-*	155 000	94	\$900
	NTI	TFT155	155 000	95	\$900
	Triangle Tube	Solo 155	155 000	95	\$900
	Lochinvar	WHN156	155 000	95	\$900
	Lochinvar	KHN155	155 000	95	\$900
	Lochinvar	KHB155N	155 000	95	\$900
	Lochinvar	WHB155N	155 000	95	\$900
	Velocity Boiler Works	RPTR155HB	155 000	95	\$900
	Burnham by U.S. Boiler	ASPN-155	155 000	95	\$900
	Burnham by U.S. Boiler	ASPNC-155	155 000	95	\$900
	Evergreen	EVG 155	155 000	95	\$900
	Weil-McLain	ECO155	155 000	95	\$900
	Lochinvar	WHN155	155 000	95	\$900
	Weil-McLain	WM97+155-CT	155 000	95	\$900
	HTP	EFT-155	155 000	96	\$900
	Burnham by U.S. Boiler	K2FT-155	155 000	95	\$900
	Burnham by U.S. Boiler	K2FTC-155	155 000	95	\$900
	Weil-McLain	AB-155-*	155 000	95	\$900
	Embassy	OX-160-B	160 000	91	\$900
	Embassy	OX-160C	160 000	91	\$900
	Smith Cast Iron Boilers	GC-160-B	160 000	91	\$900
	Smith Cast Iron Boilers	GC-160C	160 000	91	\$900
	Spacepak	SS-160C	160 000	91	\$900
	Peerless	PC-160C	160 000	91	\$900
	Slant / Fin	VSL-160B	160 000	92	\$900

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Slant / Fin	VSL-160C	160 000	92	\$900
	Viessmann	B2HA-45	160 000	92	\$900
	IBC Technologies	DC33-160	160 000	94	\$900
	IBC Technologies	HC33-160	160 000	94	\$900
	Viessmann	B2HB-160	160 000	95	\$900
	Viessmann	CU3A-160	160 000	95	\$900
	Viessmann	CU3A-45	160 000	95	\$900
	IBC Technologies	SL20-160G3	160 000	95	\$900
	IBC Technologies	SL28-160	160 000	95	\$900
	Buderus	SSB160	160 000	96	\$900
	HTP	PHR160-55	160 000	94	\$900
	ECR International	ECR-160	160 000	95	\$900
	Rinnai	M160C	160 000	95	\$900
	Rinnai	M160S	160 000	95	\$900
	Buderus	GB14245	161 000	95	\$900
	Utica Boilers	MAH-165	165 000	95	\$900
	Dunkirk Boilers	DCB-165	165 000	95	\$900
	Baxi	LunaHT1450	167 262	90	\$900
	Triangle Tube	Solo175	170 000	95	\$900
	Pensotti	PCH50/B-H	171 000	91	\$900
	Weil-McLain	GV90+6	175 000	91	\$900
	NTI	TFT175	175 000	95	\$900
	Bradford White	BLXCW175	175 000	95	\$900
	Bradford White	BLXHW175	175 000	95	\$900
	Rinnai	Q175C	175 000	95	\$900
	Rinnai	Q175S	175 000	95	\$900
	Mascot LX	MLXCW175	175 000	95	\$900
	Mascot LX	MLXHW175	175 000	95	\$900
	Navien	NFB-175	175 000	95	\$900
	Westinghouse	WBRU**175*	175 000	96	\$900
	HTP	UFT-175*	175 000	96	\$900
	Navien	NCB-210E	180 000	95	\$900
	Crown Boiler	PHNTM180	180 000	94	\$900
	Burnham by US Boiler	K2-180	180 000	94	\$900
	Noritz	CB180-DV	180 000	95	\$900
	Burnham by U.S. Boiler	K2WT-180	180 000	94	\$900
	Burnham by U.S. Boiler	X-C180	180 000	94	\$900
	Noritz	NRCB180DV	180 000	95	\$900
	New Yorker	GHE180B	180 000	95	\$900
	New Yorker	GHE180M	180 000	95	\$900
	Burnham by U.S. Boiler	X-C180B	180 000	95	\$900
	Burnham by U.S. Boiler	X-C180M	180 000	95	\$900

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Velocity Boiler Works	PHNTM180CB	180 000	95	\$900
	Velocity Boiler Works	PHNTM180M	180 000	95	\$900
	Velocity Boiler Works	SHADW180M	180 000	95	\$900
	Burnham by U.S. Boiler	K2WT-180B	180 000	95	\$900
	Burnham by U.S. Boiler	K2WT-180M	180 000	95	\$900
	Burnham by U.S. Boiler	K2WTC-180B	180 000	95	\$900
	Eco King Supreme	C200	185 000	92	\$900
	Eco King Supreme	H200	185 000	92	\$900
	NTI	FTV190	190 000	95	\$900
	NTI	FTV190C	190 000	95	\$900
	NTI	LX200	199 000	94	\$900
	NTI	TI200	199 000	94	\$900
	Navien	NCB-240E	199 000	95	\$900
	Advanced Thermal Hydronics	KN-2	199 000	90	\$900
	Hydrotherm	KN-2	199 000	90	\$900
	Peerless	Cast92-2	199 000	90	\$900
	Peerless	PF-199-NAT	199 000	93	\$900
	NTI	TX200	199 000	94	\$900
	NTI	TX200C	199 000	94	\$900
	HTP	UFTC-199*	199 000	95	\$900
	Lochinvar	WHN200	199 000	95	\$900
	Lochinvar	KHN199	199 000	95	\$900
	Lochinvar	KHB199N	199 000	95	\$900
	Lochinvar	WHB199N	199 000	95	\$900
	Westinghouse	WBRUC**199*	199 000	95	\$900
	IBC Technologies	SL 30-199G3	199 000	95	\$900
	Noritz	NRCB199DV	199 000	95	\$900
	Westinghouse	WBRCNG199W	199 000	95	\$900
	Westinghouse	WBRU**199*	199 000	96	\$900
	HTP	UFT-199*	199 000	96	\$900
	Raypak	H7-198AR*	199 000	95	\$900
	Viessmann	B2HB-199	199 000	95	\$900
	Viessmann	CU3A-199	199 000	95	\$900
	Viessmann	CU3A-57	199 000	95	\$900
	Westinghouse	WBR**199W	199 000	95	\$900
	Westinghouse	WBRE**199F	199 000	96	\$900
	Westinghouse	WBRE**199W	199 000	95	\$900
	IBC Technologies	SL35-199	199 000	95	\$900
	Peerless	PF-200-NAT	199 000	95	\$900
	Peerless	PFW-200-NAT	199 000	95	\$900
	Noritz	CB199-DV	199 000	96	\$900
	Mascot FT	MFTCW199	199 000	95	\$900

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Mascot FT	MFTHW199	199 000	95	\$900
	Mascot FT	MFTCF199N****	199 000	95	\$900
	HTP	EFT-199	199 000	95	\$900
	HTP	EFTC-199F	199 000	95	\$900
	HTP	EFTC-199W	199 000	95	\$900
	HTP	PHR199-55	199 000	93	\$900
	Westinghouse	WBRCNG199F	199 000	95	\$900
	Westinghouse	WBRNG199	199 000	95	\$900
	Lochinvar	WHN199	199 999	95	\$900
	Lochinvar	NKC199N	199 999	95	\$900
	Lochinvar	EPB199N	199 999	95	\$900
	Lochinvar	EPC199N	199 999	95	\$900
	Slant / Fin	VSLII-200	200 000	92	\$1 300
	RBI	IB199	200 000	92	\$1 300
	Camus/DynaMax	DMNC0203	200 000	90	\$1 300
	Camus/DynaMax	DMNC0213	200 000	90	\$1 300
	Camus/DynaMax	DMNH0201	200 000	90	\$1 300
	Camus/DynaMax	DMNH0211	200 000	90	\$1 300
	NTI	TFT200	200 000	95	\$1 300
	Navien	NFB-200	200 000	95	\$1 300
	Olsen	OLSSC-200	200 000	95	\$1 300
	Olsen	OLSSV-200	200 000	95	\$1 300
	Utica Boilers	SSV-200	200 000	95	\$1 300
	Utica Boilers	UBSSC-200	200 000	95	\$1 300
	Bryant / Carrier	BWMAAN000200AAAA	200 000	95	\$1 300
	Dunkirk	DKVLT-200	200 000	95	\$1 300
	Dunkirk	VX-200	200 000	95	\$1 300
	Kenmore	DKVLT-200	200 000	95	\$1 300
	Energy Kinetics	Accel CS EK2C 200	200 000	95	\$1 300
	ECR International	ECR-200	200 000	95	\$1 300
	Velocity Boiler Works	RPTR205HB	205 000	95	\$1 300
	Burnham by U.S. Boiler	ASPN-205	205 000	95	\$1 300
	Utica Boilers	MAC-205	205 000	95	\$1 300
	Dunkirk Boilers	DCC-205	205 000	95	\$1 300
	Rinnai	Q205S	205 000	95	\$1 300
	Burnham by U.S. Boiler	K2FT-205	205 000	95	\$1 300
	Bradford White	BNTH210	210 000	95	\$1 300
	Crown Boiler	PHNTM210	210 000	95	\$1 300
	Burnham by US Boiler	ALP210B	210 000	95	\$1 300
	Laars	NTH210	210 000	95	\$1 300
	Peerless	PF-210-NAT	210 000	95	\$1 300
	Peerless	PFW-210-NAT	210 000	95	\$1 300

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Viessmann	B2HA-60	212 000	92	\$1 300
	Buderus	GB14260	215 000	95	\$1 300
	Baxi	LUNA DUO-TEC 1.70	216 330	95	\$1 300
	Sime	PlanetDewy60BFR	217 000	90	\$1 300
	HTP	EP-220	220 000	95	\$1 300
	Bradford White	BLXHW220	220 000	95	\$1 300
	Weil-McLain	EVG220	220 000	95	\$1 300
	Mascot LX	MLXHW220	220 000	95	\$1 300
	Westinghouse	WBRE**220	220 000	95	\$1 300
	Crown Boiler	BWC225	225 000	91	\$1 300
	IBC Technologies	VFC45-225	225 000	95	\$1 300
	ECR International	ECR-227	227 000	95	\$1 300
	Weil-McLain	ULTRA230-CT	230 000	94	\$1 300
	Dunkirk	DMG-240	240 000	95	\$1 300
	Utica Boilers	UCS-240	240 000	95	\$1 300
	Baxi	LunaHT1650	241 600	90	\$1 300
	Triangle Tube	Solo250	245 000	95	\$1 300
	NTI	TFT250	250 000	95	\$1 300
	Slant / Fin	VSLII-250	250 000	92	\$1 300
	Camus/DynaMax	DMNC0253	250 000	90	\$1 300
	Camus/DynaMax	DMNC0263	250 000	90	\$1 300
	Camus/DynaMax	DMNH0251	250 000	90	\$1 300
	Camus/DynaMax	DMNH0261	250 000	90	\$1 300
	Bosch	SSB255	255 000	96	\$1 300
	IBC Technologies	SL26-260G3	260 000	95	\$1 300
	IBC Technologies	SL45-260	260 000	95	\$1 300
	Burnham by U.S. Boiler	ASPN-270	270 000	95	\$1 300
	Burnham by U.S. Boiler	K2FT-270	270 000	95	\$1 300
	NTI	LX300	275 000	94	\$1 300
	Raypak	H7-278AR*	275 000	95	\$1 300
	Viessmann	B2HA-80	285 000	92	\$1 300
	Viessmann	B2HA-285	285 000	92	\$1 300
	Lochinvar	WHN286	285 000	95	\$1 300
	Lochinvar	KHN285	285 000	95	\$1 300
	Lochinvar	KHB285N	285 000	95	\$1 300
	Lochinvar	WHB285N	285 000	95	\$1 300
	NTI	TFT285	285 000	95	\$1 300
	HTP	EFT-285	285 000	95	\$1 300
	Bradford White	BNTH285	285 000	95	\$1 300
	Crown Boiler	PHNTM285	285 000	95	\$1 300
	Burnham by US Boiler	ALP285B	285 000	95	\$1 300
	Laars	NTH285	285 000	95	\$1 300

## Equipment list

### Condensing boilers < 300 000Btu/hr

**IMPORTANT** In order to qualify for this grant, you must contractually commit with Gaz Métro or a Gaz Métro Authorized Partner prior to your appliances' installation. The total grant amount must not exceed admissible expenses. Some restrictions apply. The conditions of the program and the amount of the grants are subject to change without notice.

To benefit from the high efficiency due to condensation, the boiler must be installed on a heating system that provides a return water temperature to the boiler of 55 ° C (131 ° F) or less. The indoor/outdoor control of temperature via an external sensor also optimizes the operation of the boiler for space heating applications.

90% +	Make	Model	Btu/hr	AFUE %	Financial grant
	Lochinvar	WHN285	285 000	95	\$1 300
	Buderus	GB162-80	290 000	92	\$1 300
	King Heating Products Inc.	EK 299-CHB	295 000	92	\$1 300
	NTI	TFT300	299 000	94	\$1 300
	Camus/DynaMax	DMNC0293	299 000	90	\$1 300
	Camus/DynaMax	DMNH0291	299 000	90	\$1 300
	Weil-McLain	ULTRA299-CT	299 000	93	\$1 300
	HTP	EL-299	299 000	94	\$1 300
	HTP	EP-299	299 000	95	\$1 300
	Olsen	OLSSC-299	299 000	95	\$1 300
	Utica Boilers	UBSSC-299	299 000	95	\$1 300
	Bryant / Carrier	BWMAAN000299	299 000	95	\$1 300
	Dunkirk	DKVLT-299	299 000	95	\$1 300
	Weil-McLain	EVG299	299 000	95	\$1 300
	Westinghouse	WBE**299	299 000	95	\$1 300
	Kenmore	DKVLT-299	299 000	95	\$1 300
	Triangle Tube	Solo 299	299 000	95	\$1 300
	Westinghouse	WBRE**299	299 000	95	\$1 300